

THE BOILERS AND PRESSURE VESSELS ORDINANCE, 2002

(CXXI of 2002)

CONTENTS

- 1. Short title, extent and commencement**
- 2. Definitions**
- 3. Limitation of application of this Ordinance**
- 4. Power to limit extent**
- 5. Appointment of Chief Inspector, Deputy Chief Inspector and Inspector**
- 6. Prohibition of use of unregistered or uncertified boilers**
- 7. Registration**
- 8. Renewal of Registration Certificate**
- 9. Provisional orders**
- 10. Use of boiler pending grant of Registration Certificate**
- 11. Revocation of Registration Certificate or provisional order**
- 12. Alterations and renewals to boilers**
- 13. Duty of owner at examination**
- 14. Production of Registration Certificate, etc**
- 15. Powers of entry**
- 16. Report of accidents**
- 17. Appeal to the Board**
- 18. Finality of orders**
- 19. Minor penalties**
- 20. Illegal use of boiler and pressure vessel**
- 21. Penalties**
- 22. Penalties for tempering with registration number, etc**

- 23. Limitation and previous sanction for prosecution**
- 24. Trial of offence**
- 25. Punjab Boiler and Pressure Vessels Safety Board**
- 26. Ad hoc Technical Committee**
- 27. Filling of vacancies**
- 28. Meeting of the Board**
- 29. Power to make rules**
- 30. Power to make regulations**
- 31. Breach of rules and regulations**
- 32. Previous publication of rules or regulations**
- 33. Recovery of fees, etc**
- 34. Application of the Ordinance to the Governments**
- 35. Power to suspend in case of emergency**
- 36. Inspection by Inspection Authority or, as the case may be, the Inspector**
- 37. Insurance of boilers**
- 38. Repeal and saving**

TEXT

**'THE BOILERS AND PRESSURE VESSELS ORDINANCE, 2002
(CXXI of 2002)**

[13th November, 2002]

**An
Ordinance**

to amend and consolidate the law relating to boilers and pressure vessels

WHEREAS it is expedient to amend and consolidate the law relating to boilers and pressure vessels.

AND WHEREAS it is expedient to provide for regulation, use, construction, installation and repair of boilers and pressure vessels; prescribe uniform rules and regulations for boilers and pressure vessels and for matters ancillary thereto or connected therewith;

AND WHEREAS the President is satisfied that circumstances exist which rendered it necessary to take immediate action;

NOW, THEREFORE, in pursuance of the Proclamation of Emergency of the fourteenth day of October, 1999, and the Provisional Constitution Order No. I of 1999, read with the Provisional Constitution (Amendment) Order No. 9 of 1999, and in exercise of all powers enabling him in that behalf, the President of the Islamic Republic of Pakistan is pleased to make and promulgate the following Ordinance:—

1. Short title, extent and commencement.— (1) This Ordinance may be called the Boilers and Pressure Vessels Ordinance, 2002.

(2) It extends to the whole of ²[the Punjab.]

(3) It shall come into force on such date as the ³[Government] may, by notification in the official Gazette, specify in this behalf and different dates may be specified for different provisions.

2. Definitions.— (1) In this Ordinance, unless there is anything repugnant in the subject or context,—

(a) “accident” means an explosion of a boiler or any part thereof which results to weaken the structural strength and render it due for further

¹Pursuant to the proclamation of Emergency of the fourteenth day of October 1999, and the Provisional Constitution Order No. I of 1999, read with the Provisional Constitution (Amendment) Order No. 9 of 1999, and in exercise of all powers enabling him in that behalf, the President of the Islamic Republic of Pakistan promulgated this Ordinance which was published in the Punjab Gazette (Extraordinary) dated 13 November 2002, pages 1914-1928.

This Ordinance was originally in the Federal ambit, however, the subject on which this Ordinance was promulgated devolved to the provinces by virtue of 18th Amendment in the Constitution, hence it was adapted, with amendments, for the province of the Punjab by the Punjab Boilers and Pressure Vessels (Amendment) Act 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807.

²Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act, 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.3.

³Ibid., s.2, for the words “Federal Government”.

certification;

- (b) “*Ad hoc* Technical Committee” means the *Ad hoc* Technical Committee constituted under section 26;
- (c) “Board” means the ⁴[Punjab] Boilers and Pressure Vessels safety Board constituted under section 25;
- (d) “boiler” means a closed vessel exceeding twenty-five liters in capacity in which water is heated, steam is generated and superheated or a combination thereof under pressure, for external use by the application of heat from combustible fuels, electricity or external thermal energy, and includes any mountings or other fittings attached to such vessel which are wholly or partly under pressure when steam is shut off by isolating valve mounted on steam generation equipment;
- (e) “Chief Inspector and Deputy Chief Inspector” means, respectively, a qualified person appointed to be a Chief Inspector and Deputy Chief Inspector under this Ordinance;
- ⁵[(f) “Department” means “the Industries, Commerce and Investment Department of the Government;]
- (g) “design specification” means the specifications or standards as specified in the codes referred to in clause (k) to which the boiler shall be designed or manufactured and examined;
- (h) “economizer” means any part of heat exchange surface that is wholly or partly exposed to the flue gases for the purpose of recovery of waste heat;
- ⁶[(hh) “Government” means Government of the Punjab;]
- (i) “Inspector” means an Inspector appointed under this Ordinance;
- (j) “Inspection Authority” means the organization other than manufacturer and user, approved by the Board authorized to carry out inspection ⁷[of a boiler or pressure vessel] during manufacturing, first registration and yearly inspection as provided under this Ordinance and includes the approved third party inspection companies and insurance companies;
- (k) “manufacturer” means the company or firm recognized by the Board, competent to manufacture complete or in parts, a boiler, or fitting, and completes the product and is responsible for the product according to any one of the following codes, namely:–
 - (i) Pakistan Boilers Regulations;

⁴Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act, 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.4.

⁵Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31_May 2017, pp. 7673-7677, s.3. It was earlier substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act, 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.4.

⁶Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act, 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.4.

⁷Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.3.

- (ii) ASME (American Society of Mechanical Engineers);
 - (iii) BS (British Standard);
 - (iv) TRD;
 - (v) JIS (Japanese Industrial Standard);
 - (vi) I.S.O. Standards; and
 - (vii) Prevailing internationally approved code subject to the approval of the Board;
- (l) “owner” includes any company who is in the possession of a boiler or under whose name it has been registered;
 - (m) “prescribed” means prescribed by regulations or rules made under this Ordinance;
 - (n) “pressure vessel” means ⁸[a vessel categorized as such in the rules] along with its fitting other than a Boiler which is capable of being used to contain, distribute, transfer, process or otherwise handle gas, vapors, liquids and store energy under pressure internally and externally;
 - (o) “Registration Certificate” means the Registration Certificate issued under Section 7; and
 - (p) “structural alteration, addition or renewal” means changes and deviations from original design in the pressure parts but shall not be deemed to include any renewal or replacement of a petty nature when the part of fitting used for replacement is not inferior in strength, efficiency or otherwise to the replaced part or fitting.

(2) Every reference in this Ordinance to any boiler or economizer where provided shall be considered as integral part of the boiler.

⁹**[3. Limitation of application of this Ordinance.–** (1) Nothing in this Ordinance shall apply to–

- (a) any boiler in any steamship or in any mechanically propelled vessel;
- (b) any boiler appertaining to a sterilizer or disinfecter and the like used in hospitals, hotels, laboratories and other industries etc, if it does not exceed ninety one liters in capacity;
- (c) any boiler used in relation to the nuclear energy; and
- (d) any boiler or steam-pipe, belonging to or under the control of railway.

(2) The Government may, by notification in the official Gazette and for reasons to be recorded in writing, declare that provisions of this Ordinance shall not apply in the case of any specified class of boilers or steam-pipes.]

4. Power to limit extent.– The ¹⁰[Government] may, with the concurrence of the

⁸Substituted for the words “a vessel” by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.3.

⁹Substituted by the Punjab Boilers And Pressure Vessels (Amendment) Act, 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.5.

Board, by notification in the official Gazette, exclude any specified area from the operation of all or any of the provisions of this Ordinance.

5. Appointment of Chief Inspector, Deputy Chief Inspector and Inspector.–

(1) The ¹¹[Government] shall appoint a person to be Chief Inspector for the province, who may, in addition to the powers and duties conferred or imposed on the Chief Inspector under this Ordinance, exercise any power or perform any duty so conferred or imposed on Deputy Chief Inspector and Inspector by or under this Ordinance.

(2) The ¹²[Government] may appoint such persons as it thinks fit to be Deputy Chief Inspectors for the Province who may, in addition to the powers and duties conferred or imposed on the Deputy Chief Inspector under this Ordinance, exercise any power or perform any duty so conferred or imposed on Inspector by or under this Ordinance.

(3) The ¹³[Government] may appoint such persons as it thinks fit to be Inspector for the Province for the purpose of this Ordinance, and may define the local limits within which each Inspector shall exercise the powers and perform the duties conferred or imposed by, or under, this Ordinance.

(4) Every Chief Inspector, Deputy Chief Inspector and Inspector shall be deemed to be a public servant within the meaning of the Pakistan Penal Code (Act XLV of 1860).

6. Prohibition of use of unregistered or uncertified boilers.– Save as otherwise expressly provided in this Ordinance, no owner of a boiler ¹⁴[or pressure vessel] shall use the boiler ¹⁵[or pressure vessel] or permit it to be used-

- (a) unless it has been registered in accordance with the provisions of this Ordinance;
- ¹⁶[(b) in case of any boiler ¹⁷[or pressure vessel] which has been transferred from another Province or territory until it is registered under this Ordinance;]
- (c) unless a certificate or provisional order authorizing the use of the boiler ¹⁸[or pressure vessel] is for the time being in force under this Ordinance;

¹⁰Substituted for the words "Provincial Government" by the Punjab Boilers And Pressure Vessels (Amendment) Act, 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.2.

¹¹Substituted for the words "Provincial Government" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.2.

¹²Substituted for the words "Provincial Government" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.2.

¹³*Ibid.*

¹⁴Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹⁵*Ibid.*

¹⁶Substituted by the Punjab Boilers And Pressure Vessels (Amendment) Act, 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.6.

¹⁷Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹⁸*Ibid.*

(d) at a pressure higher than the maximum pressure recorded in such certificate or provisional order or under which the boiler ¹⁹[or pressure vessel] was constructed and stamped; and

²⁰[(e) unless the boiler or pressure vessel is in the charge of a person holding the Boiler Engineers Competency Certificate required by such rules and he is not less than twenty one years of age:

Provided that a person who is more than seventy years of age shall produce for each year a medical certificate of fitness issued by a Medical Officer of a Tehsil or District Headquarters Hospital.]

7. Registration.— (1) The owner of a boiler ²¹[or pressure vessel], which is not registered under the provisions of this Ordinance, shall apply to the Chief Inspector, under intimation to the ²²[Inspection Authority or, as the case may be, the Inspector], to have the boiler ²³[or pressure vessel] registered. Imported boilers ²⁴[or pressure vessels] which have been operated outside Pakistan will require an examination certificate from an insurance or third party inspection company of the country where the boiler ²⁵[or pressure vessel] has been in operation confirming integrity of boiler ²⁶[or pressure vessel] in line with the guidelines for the Examination of Boiler ²⁷[or pressure vessel] End Plate to Furnace and Shell Welded Joints issued by the Associated Offices Technical Committee, UK or country of origin. The application shall be accompanied by a copy of bill of entry and evidence of payment of custom duty and such application shall be accompanied by the prescribed fee.

(2) On receipt of an application under sub-section (1) the ²⁸[Inspection Authority or, as the case may be, the Inspector] shall fix a date, within fifteen days or such shorter period as may be prescribed from the date of the receipt, for the examination of the boiler ²⁹[or pressure vessel] and shall decide the inspection time and schedule with the owner.

(3) On the date referred to in sub-section (2) the ³⁰[Inspection Authorities

¹⁹ *Ibid.*

²⁰ Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.4.

²¹ Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

²² Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

²³ Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

²⁴ *Ibid.*

²⁵ *Ibid.*

²⁶ *Ibid.*

²⁷ *Ibid.*

²⁸ Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

²⁹ Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

³⁰ Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

or, as the case may be, the Inspectors] shall proceed to examine the boiler ³¹[or pressure vessel] and to determine in the prescribed manner the maximum pressure, if any, at which such boiler ³²[or pressure vessel] may be used, and shall report the result of the examination to the Chief Inspector.

(4) The Chief Inspector shall—

- (i) on receipt of the approval certificate from the ³³[Inspection Authority or, as the case may be, the Inspector] shall register the boiler ³⁴[or pressure vessel] and assign a registration number forthwith within three working days; or
- (ii) on receipt of examination report from the ³⁵[Inspection Authority or, as the case may be, the Inspector] declaring the boiler ³⁶[or pressure vessel] not fit for approval, refuse to register the boiler ³⁷[or pressure vessel].

(5) Where the Chief Inspector refuses to register a boiler ³⁸[or pressure vessel] the ³⁹[Inspection Authority or, as the case may be, the Inspector] shall forthwith communicate refusal to the owner of the boiler ⁴⁰[or pressure vessel] together with the reasons thereof.

(6) The Chief Inspector may randomly check or counter check the quality of inspection and the procedure of examination of the ⁴¹[Inspection Authority or, as the case may be, the Inspector] but not exceeding twenty – five percent of boilers ⁴²[or pressure vessels] offered for first registration.

(7) The Chief Inspector shall, on registering the boiler ⁴³[or pressure vessel], order to issue a Registration Certificate to the owner in the prescribed form authorizing the use of the boiler ⁴⁴[or pressure vessel] for a period not exceeding twelve months at a pressure not exceeding such maximum pressure as may be

³¹Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

³²*Ibid.*

³³Substituted for the words “insurance company” by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

³⁴Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

³⁵Substituted for the words “insurance company” by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

³⁶Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

³⁷*Ibid.*

³⁸*Ibid.*

³⁹Substituted for the words “insurance company” by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁴⁰Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁴¹Substituted for the words “insurance company” by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁴²Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁴³*Ibid.*

⁴⁴*Ibid.*

prescribed by regulations.

(8) The Inspector shall forthwith convey to the owner of the boiler ⁴⁵[or pressure vessel], the order of the Chief Inspector through courier or registered post. The owner shall within seven days of receipt of Registration Certificate cause the register number to be permanently marked thereon in the prescribed manner.

⁴⁶[(9) Subject to the fulfillment of all technical requirements by the owner, the registration of a boiler or pressure vessel shall be completed within thirty days of the submission of an application for its registration.]

8. Renewal of Registration Certificate.— (1) The Registration Certificate authorizing the use of a boiler ⁴⁷[or pressure vessel] shall cease to be in force—

- (a) on the expiry of the period for which it was granted;
- (b) when any accident occurs to the boiler ⁴⁸[or pressure vessel];
- (c) when the boiler ⁴⁹[or pressure vessel] is moved from one location to another unless it is registered as mobile unit;
- (d) when any structural alteration, addition or renewal is made in or to any steam— pipe attached to the boiler ⁵⁰[or pressure vessel]; or
- (e) if the Chief Inspector in any particular case so directs, when any structural alteration, addition or renewal is made in or to any steam pipe made in or to any steam— pipe attached to the boiler ⁵¹[or pressure vessel].

(2) When a Registration Certificate ceases to be in force, the owner of the boiler ⁵²[or pressure vessel] shall have the option to apply to the ⁵³[Inspection Authority] or the Inspector for a renewal thereof under intimation to the Chief Inspector for such period not exceeding twelve months as he may specify in the application.

⁵⁴[(3) An application under subsection (2) shall be accompanied by the receipt of payment of the prescribed fee.

(3a) On receipt of intimation from the owner, the Inspection Authority or, as the case may be, the inspector shall fix a date within fifteen days or such shorter period as may be agreed to with the owner from the date of the receipt for

⁴⁵*Ibid.*

⁴⁶Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.5.

⁴⁷Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁴⁸*Ibid.*

⁴⁹*Ibid.*

⁵⁰*Ibid.*

⁵¹*Ibid.*

⁵²*Ibid.*

⁵³Substituted for the words “insurance company” by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁵⁴Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.6.

examination of the boiler or pressure vessel and shall give the owner at least three days' notice for the purpose.]

(4) On the date fixed under sub-section (3) the ⁵⁵[Inspection Authority] or the Inspector, as the case may be, shall examine the boiler ⁵⁶[or pressure vessel] as per approved applicable code, and if the ⁵⁷[Inspection Authority] or the Inspector, as the case may be, is satisfied that the boiler ⁵⁸[or pressure vessel] is in good condition shall recommend to the Chief Inspector for renewal of the Registration Certificate authorizing the use of the boiler ⁵⁹[or pressure vessel] for such period not exceeding twelve months and at a pressure not exceeding such maximum pressure as the ⁶⁰[Inspection Authority] or the Inspector as the case may be, may determine and as may be prescribed by regulations.

(5) Where the ⁶¹[Inspection Authority] or the Inspector, as the case may be-

(a) makes recommendations as per the approved codes to any structural alteration, addition or renewal to be made in or to the boiler ⁶²[or pressure vessel]; or

(b) is of opinion that the boiler ⁶³[or pressure vessel] is not fit for use, the ⁶⁴[Inspection Authority] or the Inspector, as the case may be, shall inform the owner of the boiler ⁶⁵[or pressure vessel] in writing of findings and the reasons thereof, and shall forthwith report the case with recommendations for orders to the Chief Inspector.

(6) The Chief Inspector, on receipt of a report under sub-section (5) may, subject to the provisions of this Ordinance and of the ⁶⁶[rules or regulations] made there under, order the renewal of the Registration Certificate in such terms and on such conditions, if any, as he thinks fit, or may refuse to renew it:

Provided that where the Chief Inspector refuses to renew a Registration

⁵⁵Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁵⁶Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁵⁷Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁵⁸Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁵⁹*Ibid.*

⁶⁰Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁶¹*Ibid.*

⁶²Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁶³*Ibid.*

⁶⁴Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁶⁵Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁶⁶Substituted for the word "regulations" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.6.

Certificate, he shall forthwith communicate his refusal to the owner of the boiler ⁶⁷[or pressure vessel], together with the reasons thereof.

(7) The aggrieved party may, within seven days of the order, apply to the board regarding rejection of his request for the renewal of Registration Certificate and the Board shall issue appropriate orders either approving or disapproving the order of the Chief Inspector within thirty days of notice of order of the Chief Inspector.

(8) Nothing in this section shall be deemed to prevent an owner of a boiler ⁶⁸[or pressure vessel] from applying for a renewal of Registration Certificate at any time during the currency of a Registration Certificate.

9. Provisional orders.— ⁶⁹[(1) Where the Inspector, based on the findings of the Inspection Authority or otherwise, reports the case of any boiler or pressure vessel to the Chief Inspector under subsection (3) or subsection (5) of section 8, he may, if the use of boiler or pressure vessel is not prohibited under subsection (1) of section 8, issue a provisional order in writing to the owner permitting the boiler or pressure vessel to be used at a pressure not exceeding such maximum pressure as recommended by the Inspection Authority or, as the case may be, the Inspector or as may be prescribed, pending the receipt of the order of the Chief Inspector.]

(2) A provisional order issued under sub— section (1) shall cease to be in force—

- (a) on the expiry of six months from the date on which it is granted;
- (b) on receipt of the orders of the Chief Inspector; or
- (c) in any of the cases referred to in clauses (b) (c) (d) and (e) of sub— section (1) of section 8 shall stands cancelled.

10. Use of boiler pending grant of Registration Certificate.— (1) Notwithstanding anything contained in this Ordinance, when the period of a Registration Certificate relating to a boiler has expired, the owner shall, provided that he has applied before the expiry of that period for a renewal of the Registration Certificate, be entitled to use the boiler at the maximum pressure entered in the former Registration Certificate pending the issue of orders on the application:

Provided that nothing in this section shall be deemed to authorize the use of a boiler in any of the cases referred to in clauses (b) , (c), (d) and (e) of sub-section (1) of section 8 occurring after the expiry of the period of the Registration Certificate.

(2) When a boiler cannot be offered for inspection by the owner for reasons which in the opinion of the owner are beyond his control such as the existence of ⁷⁰[an emergency], the owner may approach the Chief Inspector, who may authorize the use of the boiler for a period not exceeding three months after the

⁶⁷Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁶⁸*Ibid.*

⁶⁹Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.7.

⁷⁰Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.7.

expiry of the Registration Certificate. The owner may also approach the Chief Inspector for grant of a provisional certificate not exceeding three months on payment of the prescribed fee.

11. Revocation of Registration Certificate or provisional order.– (1) The Chief Inspector may, at any time, withdraw or revoke a Registration Certificate or provisional order on the report of the Inspector–

- (a) if there is reason to believe that the Registration Certificate or provisional order has been fraudulently obtained or has been granted erroneously or without sufficient examination; or
- (b) if the boiler in respect of which it has been granted has developed some defect or has ceased to be in good conditions; or
- (c) where the ⁷¹[Government] has made rules requiring that boilers shall be in the charge of persons holding certificates of competency and the boiler is in the charge of a person not holding the certificate required by such rules; or
- (d) where no such rules have been made, if the boiler is in the charge of a person who is not maintaining the boiler in accordance with standard operation procedures:

Provided that where the Chief Inspector withdraws or revokes a Registration Certificate or provisional order on the ground specified in clause (d), he shall communicate to the owner of the boiler the reasons in writing for the withdrawal or revocation, and the order shall not take effect until the expiry of fifteen days from the receipt of such communication.

(2) The owner shall have the right to appeal to the Board against the order of the Chief Inspector.

(3) The Board shall issue appropriate orders either approving or disapproving the order of the Chief Inspector within thirty days of notice of the order of the Chief Inspector.

12. Alterations and renewals to boilers.– No structural alteration, addition or renewal shall be made by the repairer in any boiler registered under this Ordinance unless such alteration, addition or renewal has been sanctioned in writing by the Chief Inspector. The execution of any modification as per the approved drawings shall be verified by the insurance company.

13. Duty of owner at examination.– (1) On any date fixed under this Ordinance for the examination of a boiler ⁷²[or pressure vessel], the owner thereof shall be bound–

- ⁷³[(a) to intimate the Inspection Authority or the Inspector, as the case may be, to provide all reasonable facilities for examination and to furnish

⁷¹Substituted for the words “Provincial Government” by the Punjab Boilers and Pressure Vessels (Amendment) Act 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.2.

⁷²Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁷³Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.8.

such information as may be required;]

- (b) to have the boiler ⁷⁴[or pressure vessel] properly prepared and ready for examination as per written down examination procedures conforming to applicable codes; and
- (c) in the case of an application for the registration of a boiler ⁷⁵[or pressure vessel], to provide such drawings, specifications, certificates and other particulars as may be prescribed.

(2) If the owner fails, without reasonable cause, to comply, the ⁷⁶[Inspection Authority or, as the case may be, the Inspector] at the expense of owner shall refuse to make the examination and shall report the case to the Chief Inspector who shall, unless sufficient cause to the contrary is shown, require the owner to file a fresh application under section 7 or section 8, as the case may be, and may forbid him to use the boiler ⁷⁷[or pressure vessel] notwithstanding anything contained in section 10.

14. Production of Registration Certificate, etc.— (1) The owner of any boiler ⁷⁸[or pressure vessel] who holds a Registration Certificate or provisional order relating thereto shall, at all reasonable times during the period for which the Registration Certificate or provisional order is in force, be bound to produce the same when called upon to do so by the Chief Inspector or the Inspector.

⁷⁹[(2) On non-compliance of an order, the Chief Inspector may initiate proceedings for cancellation of the registration certificate in the prescribed manner.]

15. Powers of entry. — An Inspector may, for the purpose of inspecting or examining a boiler or any steam-pipe attached thereto or in case of non observance of any provision of this Ordinance or of any regulations or rules at all reasonable times enter any place or building within the limits of the area for which he has been appointed in which he has reason to believe that the boiler is in use.

16. Report of accidents. — (1) If any accident occurs to a boiler ⁸⁰[or pressure vessel] the owner or person in charge thereof shall, within twenty-four hours of the accident, report the same in writing to the Inspector and to relevant ⁸¹[Inspection Authority]. Every such report shall contain a description of the nature of the accident and of the injury, if any, caused thereby to the boiler ⁸²[or pressure vessel] or to any

⁷⁴Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁷⁵*Ibid.*

⁷⁶ Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁷⁷Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁷⁸*Ibid.*

⁷⁹Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.9.

⁸⁰Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁸¹Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁸²Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

person, and shall be in sufficient detail to enable the Ad hoc Technical Committee so appointed to determine the root cause of accident and fix the responsibility for such occurrence. The same shall also be reported to the Board.

(2) Every person shall answer truly to the best of his knowledge and ability every question put to him in writing by the Accident Committee nominated by the⁸³[Government].

17. Appeal to the Board.— (1) Any person, owner or company aggrieved by any recommendation made by the insurance company or findings or decision of the Chief Inspector for—

- (a) refusing to register a boiler or to grant or renew a Registration Certificate in respect of a boiler; or
- (b) refusing to grant a Registration Certificate having validity for the full period applied for; or
- (c) refusing to grant a Registration Certificate authorizing the use of a boiler at the maximum pressure desired; or
- (d) withdrawing or revoking a Registration Certificate or provisional order; or
- (e) reducing the amount of pressure specified in any certificate or the period for which such certificate has been granted; or
- (f) ordering any structural alteration, addition or renewal to be made in or to a boiler which contravenes the design code, or refusing sanction to the making of any structural alteration, addition or renewal in or to a boiler based on approved drawings may, within fifteen days of the communication to him of such order, refer appeal to the Board.

(2) The Board shall communicate the decision in thirty days of receipt of an appeal, and pending final decision of the Board may grant interim relief to the owner.

18. Finality of orders.— An order of the Board under section 17 shall be final and shall not be called in question in any court.

19. Minor penalties.— Any owner of a boiler who refuses or without reasonable excuse neglects—

- (a) to surrender a provisional order as required by section 9;
- (b) to produce a certificate or provisional order when duly called upon to do so under section 14; or
- (c) to hand over to the new owner of a boiler a Registration Certificate or provisional order as required by section 14,

shall be punishable with fine which may extend to ten thousand rupees.

⁸³Substituted for the words "Provincial Government" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.2..

⁸⁴**[20. Illegal use of boiler and pressure vessel.**– (1) The owner of a boiler or pressure vessel who, in any case in which a registration certificate or provisional order is required for its use under the Ordinance, uses the boiler or pressure vessel either without any such certificate or order being in force or without the assistance or presence of a qualified boiler engineer or at a higher pressure than that allowed thereby, shall be issued a warning to comply with the such provisions of the Ordinance, rules or regulations and within such time as the Chief Inspector may specify.

(2) In case, the order under subsection (1) is not implemented within the specified time, the Chief Inspector shall take such action as may be necessary including the closure of the boiler or pressure vessel or revocation of the registration certificate in the prescribed manner or, if necessary, sealing the factory in the prescribed manner.]

⁸⁵**[21. Penalties.**– Any person who:

- (a) uses or permits to be used a boiler or pressure vessel of which he is the owner and which has been transferred from any Province to Province of the Punjab without such transfer having been reported as required by section 6; or
- (b) being the owner of a boiler or pressure vessel, fails to cause the register number allotted to the boiler or pressure vessel under this Ordinance, to be marked on the boiler or pressure vessel as required by subsection (8) of section 7; or
- (c) makes any structural alteration, addition or renewal in or to a boiler or pressure vessel without prior approval when so required under section 12; or
- (d) fails to report an accident to the boiler or pressure vessel when so required under section 16; or
- (e) hampers with a safety valve of the boiler or pressure vessel so as to render it inoperative at the maximum pressure at which the use of the boiler or pressure vessel is authorized under this Ordinance; or
- (f) uses the boiler or pressure vessel without getting it registered under the Ordinance; or
- (g) fails to have a periodical inspection certificate issued for the boiler or pressure vessel as prescribed; or
- (h) is a manufacturer of boilers or pressure vessels and contravenes the prescribed codes; or
- (i) operates the boiler or pressure vessel without the assistance and presence of a qualified boiler engineer or technician—

shall be liable to punishment with imprisonment which may extend to two years but which shall not be less than three months and fine which may extend to

⁸⁴Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.10.

⁸⁵Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.11.

four hundred thousand rupees but which shall not be less than fifty thousand rupees.]

22. Penalties for tempering with registration number, etc.– (1) Whoever removes, alters, defaces, renders invisible or otherwise tampers with the register number marked on a boiler ⁸⁶[or pressure vessel] in accordance with this Ordinance or any law repealed, hereby, shall be punishable with fine which may extend to twenty five thousands rupees.

(2) ⁸⁷[* * * * *]

(3) Whoever fraudulently marks upon a boiler ⁸⁸[or pressure vessel] a register number which has not been allotted to it under this Ordinance or any Act repealed hereby, shall be punishable with imprisonment which may extend to two years, or with a fine which may extend to fifty thousands rupees or with both.

23. Limitation and previous sanction for prosecution.– No prosecution for an offence punishable by or under this Ordinance shall be instituted–

- (a) after six month of the commission of an offence; and
- (b) without the previous sanction of the Chief Inspector.

24. Trial of offence.– Notwithstanding any thing in the Code of Criminal Procedure, 1898 (Act V of 1898) no Court not inferior to that of a Magistrate of the first class shall try an offence under this Ordinance.

⁸⁹**[25. Punjab Boiler and Pressure Vessels Safety Board.–** ⁹⁰[(1) The Government shall constitute a Board to be called the Punjab Boilers and Pressure Vessels Safety Board for purposes of this Ordinance.

(1A) The Board shall consist of the following:

- (a) Secretary to the Government, Industries, Commerce and Investment Department; Chairperson
- (b) Director General Industries, Prices, Weights and Measures; Member
- (c) an officer not below the rank of an Additional Secretary of the Department; Member
- (d) Chief Inspector; Secretary
- (e) one person nominated by the Lahore Chamber of Commerce and Industry, Member

⁸⁶Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁸⁷Omitted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.12.

⁸⁸Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁸⁹Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act, 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.8.

⁹⁰Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.13.

- Lahore;
- (f) one person nominated by the Federal Chamber of Commerce and Industry, Islamabad; Member
 - (g) two manufacturers of boilers and pressure vessels nominated by the Government; Members
 - (h) two users of boilers and pressure vessels nominated by the Government; Members
 - (i) one representative of the Inspection Authority nominated by the Government; Member
 - (j) a faculty member of the Mechanical Engineering Department of University of Engineering and Technology, Lahore; and Member
 - (k) a Boiler Engineer nominated by the Government. Member

(1B) The Board may co-opt a professional member from a public or private sector organization for expert opinion.

(1C) The term of a member, other than an *ex officio* member, shall be three years.

(1D) The Government may increase or decrease the number of members of the Board.]

⁹¹[**26. Ad hoc Technical Committee.**– (1) The Government shall constitute a committee to be called the Ad hoc Technical Committee to execute assignments advised by the Board.

⁹²[(2) The Chairperson of the Ad-hoc Technical Committee shall be nominated by the Government on the advice of the Board and the Committee shall consist of the following members:-

- (a) a nominee of Federal Chamber of Commerce and Industry, Islamabad; Member
- (b) a nominee of Lahore Chamber of Commerce and Industry, Lahore; Member
- (c) two manufacturers of boilers and pressure vessels nominated by the Government; Members
- (d) two users of boilers and pressure vessels nominated by the Government; Members
- (e) one representative of the Inspection Authority Member

⁹¹Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act, 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.9.

⁹²Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.14.

nominated by the Board;

- (f) Chief Inspector; Secretary
- (g) one faculty member of the Mechanical Engineering Department of University of Engineering and Technology, Lahore nominated by the Vice Chancellor; and Member
- (h) any other person co-opted by the Committee from a public or private sector organization for expert opinion. Member

(3) The term of a member, other than an *ex officio* member, shall be three years.

(4) The Government may increase or decrease the number of members of the Committee.]

⁹³[**27. Filling of vacancies.**— The Government shall, within sixty days from the date of occurrence of a vacancy, fill the vacancy in the Board or Ad hoc Technical Committee under section 25 or section 26.]

28. Meeting of the Board.— (1) The Powers of the Board shall be exercised with a quorum of at least seven members of the Board in which representation of the manufacturers and users shall be mandatory.

(2) The Board shall meet once every three months to review the implementation of rules, regulations and other matters on the agenda.

29. Power to make rules.— (1) The Board may, with the approval of the ⁹⁴[Government] by notification in the official Gazette, make rules for carrying out the purposes of this Ordinance.

(2) Without prejudice to the generality of the foregoing power, such rules may provide for all or any of the following matters, namely:—

- (a) for prescribing the qualifications and duties of the Chief Inspector, Deputy Chief Inspector and Inspectors;
- (b) for regulating the transfer of boilers ⁹⁵[or pressure vessels];
- (c) for providing for the registration and certification of boilers ⁹⁶[or pressure vessels] in accordance with the regulations and approved codes under this Ordinance;
- (d) for requiring boilers ⁹⁷[or pressure vessels] to be in the charge of persons holding certificates of competency, and for prescribing the conditions on which such certificates may be granted;

⁹³Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act, 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.10.

⁹⁴Substituted for the words "Provincial Government" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.2.

⁹⁵Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁹⁶*Ibid.*

⁹⁷*Ibid.*

- (e) for prescribing the times within which the ⁹⁸[Inspection Authority] shall be required to examine the boiler ⁹⁹[or pressure vessel] as per approved practice or code of examination;
- (f) for prescribing the fees payable for the renewal of Registration Certificate and methods of determining the amount of such fees in each case;
- (g) for regulating or advising Ad hoc Technical Committee enquiring into accidents;
- (h) for determining the mode of disposal of fees, costs and penalties levied under this Ordinance; and
- (i) generally to provide advice for any matter which is, in the opinion of the Board, a matter of local importance in the Province.

30. Power to make regulations.— (1) The Board may, by notification in the official Gazette, make regulations for carrying out the purposes of Ordinance.

(2) Without prejudice to the generality of the foregoing powers such regulations may provide for all or any of the following matters, namely:—

- (a) adopting code and procedures as laid down in international boiler ¹⁰⁰[or pressure vessel] code for materials, design and construction which shall be required for the purpose of registration and certification of a boiler ¹⁰¹[or pressure vessel] under this Ordinance;
- (b) for prescribing the circumstances in which the extent to which, and the conditions subject to which variations from the standards laid down under international boiler ¹⁰²[or pressure vessel] codes may be permitted;
- (c) for prescribing the method of determining the maximum pressure at which a boiler ¹⁰³[or pressure vessel] may be used;
- (d) for regulating, the registration of boilers ¹⁰⁴[or pressure vessels], prescribing the fees payable thereof, the drawings, specifications, certificate, particulars to be produced by the owner, the method of preparing a boiler ¹⁰⁵[or pressure vessel] for examination by ¹⁰⁶[Inspection Authority], the method of marking the register number, the

⁹⁸Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

⁹⁹Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹⁰⁰*Ibid.*

¹⁰¹*Ibid.*

¹⁰²*Ibid.*

¹⁰³*Ibid.*

¹⁰⁴Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹⁰⁵*Ibid.*

¹⁰⁶Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

period within which number is to be marked on the boiler ¹⁰⁷[or pressure vessel], selection and regulating the rules for Inspection Authority and nomination of ¹⁰⁸[Inspection Authorities] for boiler ¹⁰⁹[or pressure vessel] insurance;

- ¹¹⁰[(e) excluding and exempting a pressure vessel from registration, inspection and certification;
- (f) prescribing the time within which the Inspection Authority shall be required to examine a pressure vessel as per approved practice or codes of examination; and
- (g) regulating examination of boiler engineers and their certification.]

¹¹¹**[31. Breach of rules and regulations.**– (1) Any rules or regulations made under section 29 or section 30 may provide that a person or company contravening such rules or regulations shall be warned by the Chief Inspector to take such remedial action within such time as the Chief Inspector may specify.

(2) In case, the remedial steps are not taken within the specified time, the Chief Inspector shall take necessary action to stop illegal use of the boiler or pressure vessel, including the closure of the boiler or pressure vessel, revocation of the registration certificate in the prescribed manner or, if necessary, sealing of the factory in the prescribed manner.]

32. Previous publication of rules or regulations.– (1) The power to make rules and regulations conferred by sections 29 and 30 respectively shall be subject to the condition of the rules and regulations being made after previous publication.

(2) The rules and regulations so made shall be published in the official Gazette and on such publication, shall have effect as if enacted in this Ordinance.

33. Recovery of fees, etc.– All fees, costs and penalties levied under this Ordinance shall be recoverable as arrears of land revenue.

¹¹²**[34. Application of the Ordinance to the Governments.**– Save as otherwise expressly provided, this Ordinance shall be applicable to boilers and pressure vessels belonging to the Government, Federal Government, local government or any other Provincial Government.]

¹⁰⁷Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹⁰⁸Substituted for the words “insurance company” by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹⁰⁹Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹¹⁰Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.15.

¹¹¹Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.16.

¹¹²Substituted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.11.

35. Power to suspend in case of emergency.– (1) The ¹¹³[Government] may, by notification in the official Gazette, with the consultation of the Board, exempt from the operation of this Ordinance, subject to such conditions and restrictions as it thinks fit, any boilers ¹¹⁴[or pressure vessels] or classes or types of boilers ¹¹⁵[or pressure vessels] used exclusively for the heating of buildings or the supply of hot water.

(2) In case of any emergency the ¹¹⁶[Government] may, by general or special order in writing, exempt any boilers ¹¹⁷[or pressure vessels] or any class of boilers ¹¹⁸[or pressure vessels] from the operation of all or any of the provisions of this Ordinance.

36. Inspection by ¹¹⁹[Inspection Authority or, as the case may be, the Inspector].– (1) The ¹²⁰[Inspection Authority or, as the case may be, the Inspector] shall carry out inspection of boilers ¹²¹[or pressure vessels] at the first registration as well as subsequent inspections as defined in the Ordinance.

(2) The ¹²²[Inspection Authority or, as the case may be, the Inspector] shall be approved by the Board for the purposes of this Ordinance, and shall have qualified personnel and necessary skill to carry out the inspection and examination of boilers ¹²³[or pressure vessels] within the scope and under the guidelines of any approved code.

(3) The ¹²⁴[Inspection Authority's or, as the case may be, the Inspector's] technical personnel shall be approved by the Board for the purposes of this Ordinance.

37. Insurance of boilers.– All boilers shall be insured against damage due to accidents as per the existing laws and standards.

38. Repeal and saving.– (1) The Boilers Act, 1923 (V of 1923), is hereby repealed.

¹¹³Substituted for the words "Provincial Government" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.2.

¹¹⁴Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹¹⁵*Ibid.*

¹¹⁶Substituted for the words "Provincial Government" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2013 (XX of 2013); and published in the Punjab Gazette (Extraordinary), dated 3.9.2013, pages 805-807, s.2.

¹¹⁷Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹¹⁸*Ibid.*

¹¹⁹ Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹²⁰*Ibid.*

¹²¹Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹²²Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹²³Inserted by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

¹²⁴Substituted for the words "insurance company" by the Punjab Boilers and Pressure Vessels (Amendment) Act 2017 (XI of 2017), published in the Punjab Gazette (Extraordinary), dated: 31 May 2017, pp. 7673-7677, s.2.

(2) Any boiler registered, certified or licensed under the Boilers Act, 1923 (V of 1923), shall be deemed to have been registered, certified or licensed under this Ordinance.

(3) Notwithstanding the repeal of the Boilers Act, 1923 (V of 1923), the rules and regulations made under the said Act, and in force immediately before the commencement of this Ordinance, shall, mutatis mutandis and in so far they are not inconsistent with any of the provisions of this Ordinance, shall continue in force until repealed or altered by rules or regulations made under this Ordinance.